

> PRINT > COPY > SCAN > FAX

TASKalfa 3212i TASKalfa 4012i

MONOCHROME MULTIFUNCTION PRODUCT FOR A4/A3 FORMAT





The new TASKalfa mono series is a truly reliable A3 monochrome MFPs for small to medium sized workgroups in any businesses or professional workplaces where high productivity, high reliability and optimal investments are required.

- > Fast A4 copy/print speed up to 32/40 cpm
- > High image quality with 1,200 x 1,200 dpi printing resolution
- Superior scanning performance with dual scan speed up to 160/160 ipm A4 Mono/Color*
- > Fast copy time in just 3.6 seconds** & warm up time of 18 seconds
- > 320GB*** hard disk capacity and 2GB RAM to meet heavy-duty tasks without additional hard drive
- > Convenient with inner Job Separator as standard

* Optional DP-7110 required. ** TASKalfa 4012i only. ***Optional for TASKalfa 3212i.





Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Keep Productivity Flowing

This reliable multifunctional device eases workflow significantly with high flexibility and productivity. With a wide range of innovative solutions, it is perfectly suitable for demanding desktop users and small workgroups.





Impressive COPY/PRINT/SCAN/FAX

Copy

Skip Blank Page: Copy/scan to save unnecessary cost by skipping blank pages.



. Job Finish Notice: Send email notification to the specific user when a Copy/Scan job is completed.




· Prevent Bleed-thru: Remove unwanted background when Copy/Scan a printed double-sized thin paper (e.g. newspaper, NCR paper, and magazine).




Print

. Job Skip: Automatically prioritize the error print job to avoid the machine come to a halt in case of



Scan

• USB Scan to/Direct Print: Scan to/print directly from USB Memory in PDF/Compression PDF/TIFF/JPEG/XPS format.



 Scan to Searchable PDF function (Optional): Easily search the

EASY text inside PDF files after scanning the hardcopy document and convert text via OCR function.




• High Compressed PDF Size: Adopt new image analysis technology to achieve smaller file size.



· Scanned Image File Size Check: Check the size of the scanned document does not exceed limit before sending e-mail.



· FTP/SMB/Email/Fax Multi-Sending: Send document to different destinations (email addresses, folders, etc.) in a single scan operation.



Fax

· Simple Fax Forwarding: Forward incoming fax to other destinations by Email, SMB or FTP (Optional).



· i-FAX Sending (Optional): Send and receive i-FAX without the mail service by installing Direct SMTP function.





User-Friendly

- Excellent Clarity 9-inch Color Touch Panel:
- With swivel type operability similar to smartphone and tablet.
- Tiltable from 15° to 90°.







• Easy-to-Use Keypad:

Type in with easy with on-screen virtual numeric keypad (hardware keypad is optional).





- Convenient Home Screen:
- All commonly used functions and applications are found.
- Customize easily to meet different needs of users/group users.



• Intuitive Printer Driver's Quick Print Tab:

Create and save frequently used custom profiles as graphic icons to allow programming of complex jobs in one click.



• Easy-to-Reach Custom Box:

Provide long-term job storage at a device, allowing users to securely print and store jobs on the device and output them when required.



• Low Power Consumption Mode:

- Adopt spot conduction for intelligent recovery system by activating only the areas of the device required for the operation.



- Choose recovery priority mode/power priority mode based on different needs.




Access Securely and Quickly with Mobile & Cloud Solutions



Google Drive/Evernote®

Scan & print file directly from

- Simplify Document Workflow KYOCERA Mobile Print:
 - Print documents/webpages/image from virtually anywhere, on Apple/Android smartphone/tablet to designated KYOCERA MFPs and printers.
 - Scan files and images from same MFPs to mobile devices.
 - Support AirPrint for iPhone and iPad.



iPhone iPad Notebook PC Android

Synchronize with

Google Drive

HyPAS-enabled MFPs.

(without using a computer).

- Powerful KYOCERA Fleet Services (Optional):
 Overview of all the devices status and receive notifications via the cloud.
- Preempt and plan for maintenance needs.

· Print Anywhere KYOCERA Cloud Connect (Optional):

- Retrieve and print files in Google Drive/Evernote®, directly from any KYOCERA


- Upload scanned files to Google Drive/Evernote®, directly from the MFP

KYOCERA CLOUD CONNECT



· Intuitive KYOCERA MyPanel:

- Use smartphone/tablet to connect a compatible networked KYOCERA printing device on local Wi-Fi network wirelessly.
- Perform COPY/PRINT/SCAN from Custom Box/ Cloud# by mobile devices with personalizing settings.



*Cloud Application Supported: Dropbox, Evernote, OneDrive

Support Gmail and Hotmail Public Mail Services:

Scan documents to email accounts from the device and automatically print documents directly from accounts.



Support WiFi Direct:

- Require IB-36 Wireless LAN (Optional)



 Makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.



Data and Document Security


 Confidential Printing with Private Print: Release print job at the device by entering a preset four-digit access code when making a print at KYOCERA KX Driver.



 Secure with Password Protection Setting: Allow administrator to set Password Policy to limit user access to designated capacity.



 Strong Network Authentication: Access and manage information through network authentication for Windows Server using Kerberos or NTLM.



 Safe FAX Memory Overwrite (Optional): Erase FAX memory after sending or receiving for confidentiality.



 IPv6 Ready: Compatible with future network infrastructures as supporting IPv6.




 Effective Card Authentication (Optional IC Card Reader): Control access and manage with predefined user restrictions such as maximum amount of output restrictions.



 Security Watermark: Distinguish originals from photocopies and provide protection for the sensitive document.



 Intuitive M-Files (Optional): Easily find and manage all information e.g. documents, projects and business processes etc, as well as add intelligence by combining it with information from other systems (like SharePoint, Salesforces and SAP).



 Highly Reliable KYOCERA Data Security Kit (Optional): Encrypt data before storing in the hard disk and automatically overwrite all unnecessary data stored on the hard drive.



 Secure Socket Layer (SSL) Data Security Protocol: Prevent eavesdropping and tampering by enhancing secure communication for remote configuration and data retrieval.





Simplify Administration Process

Provide real ease-of-use to all users and administrators.

 Web-Based KYOCERA Command Center RX: Check the operation status of the device, toner level, paper availability, as well as change settings related to security, network printing and advanced network setting etc.





- · Comprehensive KYOCERA Net Viewer (Device Management & Reporting):
- Monitor, maintain, and update up to 100 network printing devices locally and remotely.
- Simply install and update the firmware on all KYOCERA network connected devices while easily monitoring printed pages, device configuration, accounting, toner usage, and alerts.
- Greatly reduce the manpower required to monitor connected devices.





- Well-Structured KYOCERA Net Manager (Optional):
- Protect confidential data, manage & control the overall output (copy/print/scan) and get detailed reports
- Users: Simplify the process by overviewing personal printing jobs with personalized settings web browser.
- Card Authentication Kit (Optional): Get print document directly and allow quick and secure access settings with pre-defined user restrictions such as output quota.











Go for the Green Future

Green Design

- EcoPrint: Consume less energy and toner.
- & Energy Saver: 1.0W or less power consumption at Priority Energy Saver Mode.
- Long Life Mega Surface Amorphous Silicon (a-Si) Drum, Developer and Replacement parts.
- Large capacity toner for maximum uptime and less wastage.
- Parts for Recycling.
- Non-toxic Materials.
- Quiet operation design for a comfortable working environment.







Eco Mark (Japan)

EcoLeaf Environmental Label (Japan)

Law on Promoting Green Purchasing (Japan)

KYOCERA aims at providing safe and comfortable products which have minimum environmental impact by acquiring various environmental labels.

			Main Spec		
Model			TASKalfa 3212i	TASKalfa 4012i	
Land Control of Contro	Main Function		Copy, Print, Scan, Fax (Optional)		
Writing Method			Semiconductor Laser T1024 (Dual Core) 1.0 GHz		
CPU		A.		Att.	
Print Speed (A4)	Simplex (Mono	-	32 ppm	40 ppm	
Scanning Speed	DP-7100	Simplex	80 / 80	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	
(A4) 300dpi	(Mono / Color)		48 / 48	SET TO SE	
Scanning Speed (A4)		Simplex	80/80		
300dpi Dual Scan	(Mono / Color)		160/16		
Scanning Speed	DP-7120	Simplex	48 / 48	8 ipm	
(A4) 300dpi	(Mono / Color)	Duplex	15/19	5 ipm	
Memory			Standard 2GB (Max. 2GB)		
SSD / HDD Capacity			32GB (Standard) / 32OGB (Optional) 8GB / 32OGB (Standard)		
Warm Up Time			18 seconds		
Paper Capacity	Standard		2 x 500 sheets (Cassette) + 100 sheets (MPT)		
r oper copacity	Maximum		4,100 sheets (Main U	Init + PF-810 + MPT)	
Paper Size	Cassette		Min. A5R - Ma	x. A3 (Ledger)	
Paper Size	MPT		Min. AGR - Max. A3 (Ledger)		
	Cassette		60 - 163 g/m ²		
Paper Weight MPT			45 - 256 g/m ²		
Duplex Printing			Paper size: ASR - A3 / Ledger; Paper weight: 60 - 163 g/m ²		
Output Capacity			250 sheets + 50 sheets (with Inner Job Separator) face-down		
Control Panel			9 inch Color Touch LCD Panel		
Dimension (W x D x H) (Main Unit)			594mm x 695mm x 683mm		
Weight (Main Unit) / Power Source			Approx. 59 kg / 240V 50Hz		
Power	Copy / Print Mo	ode	510W or less	/ 240V 50HZ 600W or less	
Consumption	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.		510W 0F less	1 (05) (37 (44) (286)	
(Standard	Stand-by Mode				
configuration)	Energy Saver	ed a	1.0W c		
Noise (ISO7779 /	Copy / Print Mo		66.0dB(A)	67.0dB(A)	
ISO9296)	Stand-by Mode		43dE		
Safety Standard : GS/TUV/CE			This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard. RoHs compatibility		
			Copy Function	ns (Standard)	
Copy Size / Resolution / Multiple Copy		/	Max. A3 (Ledger) - Min. A6	R / 600 x 600 dpi / 1 - 999	
First Copy Time			4.3 seconds	3.6 seconds	
Zoom Ratio	Manual		25% - 400%	(1% Step)	
Zoom Kauo	Predefined		5R	SE SE	
			Print Function	ns (Standard)	
Resolution			9,600 Equivalent x 600 dpi; 1,200 x 1,200 dpi		
PDL			PRESCRIBE, PCL6 (PCL-5e, PCL-XL), KPDL3 (PostScript 3 compatible), XPS, OpenXPS, PDF Direct Print, PPML		
First Print Out Time			4.9 seconds	4.2 seconds	
Supported Protocol			NetBEUI, FTP, Port 9100, LPR,	TO A CONTROL OF THE PROPERTY O	
Operating System Supported			Windows Server 2008, Windows Server 2008 R2, Windows Server 2012,		
			Windows Vista, Windows 8, Windows 10;		
			Apple Macintosh OS 10.5 or later; Linux		
Interface			USB2.0 High Speed x1; 1000BASE-T / 100BASE-TX / 10BASE-T; USB Host interface (USB Host) x4; NFC TAG x1		
USB Memory Printing / Format			Standard / TIFF, IPEG, PDF, XPS		
			AirPrint, Mopria, KYOCERA Molle Print		
Mobile Printing					
Print Features			Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure print, secure printing via SSL, Quick Copy, proof and hold, private print, job storage management functionality, Airprint		
Color Colorbina			Scan Functions (Standard)		
Color Selection			Auto Color (Color / Gray); Auto Color (Color / B&W); Full Color; Grayscale; Black & White		
Resolution			600dpi, 400dpi, 300dpi, 200dpi, 200x100dpi, 200x400dpi		
File Format			TIFF, JPEG, XPS, OpenXPS, PDF (MMR / JPG / High-compression PDF), PDF/A, Searchable PDF (Optional)		
Image Type Mode			Text, Photo, Text + Photo		
Transmission Type			Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan		
Address Storage			2,000 addresses (Common address list), 500 groups (Group address list)		
			Fax Functions (Optional)		
Original Size			Max. A3 (Ledger) - Min. A5 (Statement)		
Coding Method / Transmission Speed			MMR, MR, MH, JBIG / 33.6kbps		
Memory / G3 FAX / Network FAX / Dual FAX			170MB / Yes / Yes (Fax System 12 x 2 units required)		
75 3 5			Opt. Internet-fax, network faxing, rotate transmission, rotate reception, duplex fax reception, memory reception,		
Fax Features			FAX BOX, remote diagnostic, dual fax with second fax system		
			Options		
Platen Course					
Platen Cover Document Processor			Platen Cover Type E DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type		
The Control of the Co			PF-7100: 140 sneets KADF Type; DF-7110: 270 sneets One-path duplex scan Type; DF-7120: 50 sneets KADF Type PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter)		
Paper Feeder	2 000 1	T-1-2			
Finisher	3,000 sheet Fin		DF-791: 3,000 sheet Finisher; AK-740: Attachment Kit; PH-7C: Punch Unit; MT-730(B): 7 Bin Mail Sorter		
1,000 sheet Finisher		nisher	DF-7120: 1,000 sheet Finisher; AK-740: Attachment Kit; PH-7C: Punch Unit		
Fax System / Internet FAX			Fax System 12 / Internet FAX Kit(A)		
Data Security			Data Security Kit(E)		
Card Authentication			Card Authentication Kit(B)		
Gigabit Ethernet Board / Wireless LAN Interface		I Interface	IB-S0 / IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct)		
Gigabit Ethernet Boar	Embedded OCR / Numeric Key Pad		Scan Extension Kit(A) / NK-7100		
	meric Key Pad		Scar Extension ((it(A) / NK-7100	
	neric Key Pad		HD-12: HDD 320GB (1		
Embedded OCR / Nur	meric Key Pad		HD-12: HDD 320GB (1		
Embedded OCR / Nur Storage Device	neric Key Pad		HD-12: HDD 320GB (1 Const	TASKalfa 3212i only) umables	
Embedded OCR / Nur	neric Key Pad		HD-12: HDD 320GB (1	TASKalfa 3212i only) umables TK-7220: 35,000 pages with 5% A4 coverage	



Staple Cartridge



12 Tai Seng Street #04-01A Luxasia Building Singapore 534118 Tel : (65) 6741 8733 Fax: (65) 6748 3788 www.KyoceraDocumentSolutions.com.sg

*KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

@All rights received. Brochure/KOBS/201803/TOMCAT3

KYOCERA Business Partner

SH-10: Staple for DF-7120; SH-12: Staple for DF-791





